Docket No.: 12810-00162-US1

This listing of the claims will replace all prior versions and listings of the claims in this application.

**LISTING OF THE CLAIMS:** 

1. (Currently Amended) A polyamide whose main chain comprises chemically bound

1-amino-2-R-cyclopent-1-ene wherein R is a functional group capable of combining with an

amino group to form an amide group and wherein R is present at a level in the range from not

less than 0.08 mol%, to 2 mol%, based on 1 mol of acid amide groups of said polyamide,

wherein R is selected from the group consisting of carboxylic acid, and carboxylic ester,

carboxylic amide.

2. (Cancelled).

3. (Cancelled).

4. (Original) The polyamide according to claim 1 wherein R represents carboxylic acid.

5. (Original) The polyamide according to claim 1 wherein R represents carboxylic ester.

6. (Original) The polyamide according to claim 5 wherein R represents a carboxylic ester

selected from the group consisting of methyl ester, ethyl ester, n-propyl ester, i-propyl ester, n-

butyl ester, s-butyl ester, i-butyl ester and t-butyl ester.

7. (Original) The polyamide according to claim 1 wherein the main chain of said polyamide

comprises chemically bound 2-methyl-1,5-diaminopentane.

8. (Cancelled).

2

9. (Previously Presented) A process for preparing a polyamide, which comprises converting monomers suitable for forming a polyamide in the presence of 1-amino-2-R-cyclopent-1-ene, where R is a functional group, according to claim 2.

- 10. (Previously Presented) A process for preparing a polyamide, which comprises converting oligomers suitable for forming a polyamide into a polyamide in the presence of 1-amino-2-R-cyclopent-1-ene, where R is a functional group, according to claim 2.
- 11. (Previously Presented) Fibers, films and moldings comprising a polyamide according to claim 1.
- 12. (Currently Amended) A process for preparing a polyamide, which comprises converting monomers suitable for forming a polyamide in the presence of 1-amino-2-R-cyclopent-1-ene, where R is a functional group selected from the group consisting of <u>a</u> carboxylic acid, <u>and a</u> carboxylic ester, <u>carboxylic amide and nitrile</u>, and the main chain of said polyamide comprises chemically bound 1-amino-2-R-cyclopent-1-ene wherein R is present at a level in the range from not less than 0.08 mol% to 2 mol%, based on 1 mol of acid amide groups of said polyamide.
- 13. (Currently Amended) A process for preparing a polyamide, which comprises converting oligomers suitable for forming a polyamide in the presence of 1-amino-2-R-cyclopent-1-ene, where R is a functional group is selected from the group consisting of a carboxylic acid, and a carboxylic ester, carboxylic amide and nitrile and the main chain of said polyamide comprises chemically bound 1-amino-2-R-cyclopent-1-ene wherein R is present at a level in the range from not less than 0.08 mol% to 2 mol%, based on 1 mol of acid amide groups of said polyamide.
- 14. (Currently Amended) A polyamide whose main chain comprises chemically bound 1-amino-2-R-cyclopent-1-ene wherein R is selected from the group consisting of <u>a</u> carboxylic acid, <u>and a</u> carboxylic ester, <u>carboxylic amide and nitrile</u>, and R is present at a level in the range from not less than 0.08 mol% to 2 mol%, based on 1 mol of acid amide groups of said polyamide.

Application No. 10/556,392 After Final Office Action of November 17, 2008 Amendment dated March 17, 2009

15. (Cancelled).

16. (Previously Presented) The polyamide according to claim 14 wherein R represents carboxylic acid.

Docket No.: 12810-00162-US1

- 17. (Previously Presented) The polyamide according to claim 14 wherein R represents carboxylic ester.
- 18. (Cancelled).